

**DBP Bromide Reporting Form**  
**Quarterly Reporting Form for Running Annual Average (RAA)**  
**for Public Water Systems Using Ozone**

PWSID #: \_\_\_\_\_ SYSTEM NAME: \_\_\_\_\_  
TREATMENT PLANT NAME: \_\_\_\_\_ PLANT ID #: \_\_\_\_\_  
DATE: \_\_\_\_\_ PREPARED BY: \_\_\_\_\_  
AUTHORIZED SIGNATURE: \_\_\_\_\_ TITLE: \_\_\_\_\_  
Total # of samples taken: Month 1: \_\_\_\_\_ Month 2: \_\_\_\_\_ Month 3: \_\_\_\_\_  
Bromate Reduced Monitoring: Yes \_\_\_\_\_ No \_\_\_\_\_  
Check One: \_\_\_\_\_ 1<sup>st</sup> Quarter \_\_\_\_\_ 2<sup>nd</sup> Quarter \_\_\_\_\_ 3<sup>rd</sup> Quarter \_\_\_\_\_ 4<sup>th</sup> Quarter  
(Due by April 10th) (Due by July 10th) (Due by Oct. 10th) (Due by Jan. 10<sup>th</sup>)

	Column A	Column B	Column C	Column D
Month	Year	Monthly Data (mg/L) Bromide Concentration	Quarterly Average (mg/L)	Running Annual Average (RAA) (mg/L)
January	20__ __			
February	20__ __			
March	20__ __			
April	20__ __			
May	20__ __			
June	20__ __			
July	20__ __			
August	20__ __			
September	20__ __			
October	20__ __			
November	20__ __			
December	20__ __			
			Running Annual Average (RAA)=	

Attach Laboratory Reporting Forms for each monitoring period.  
For months when ozone is not used, enter "NR" in Column B.  
For lab reporting of "Non-Detect", enter "0" in Cloumn B.